## **Amendments to the Claims:**

The following listing of claims will replace all prior versions and listings of claims in this application.

## **Listing of Claims:**

- 16. (currently amended) A method to provision a plurality of servers, comprising: receiving a request to load an operating system (OS) from each of a plurality of server blades, each server blade being implemented as a single board;
  - determining an identifier for each of said plurality of server blades; searching for an OS identifier associated with said server blade identifier; retrieving an OS from a storage system using said OS identifier; and loading each server blade with its retrieved OS.
- 17. (original) The method of claim 16, wherein said receiving comprises:
  creating a connection between each of said server blades and said storage system;
  and
  receiving said request over said connection.
- 18. (original) The method of claim 16, wherein said determining comprises receiving said server blade identifier with said request from each server blade.
- 19. (original) The method of claim 16, wherein said server blade identifier is a dynamic host configuration protocol (DHCP) address.

Appl. No. 10/086,410 Amendment Dated 6/18/2004 Reply to Office Action of 3/19/04

- 20. (previously presented) The method of claim 16, wherein said loading comprises: sending each server blade its retrieved OS; and executing said OS at said server blade.
- 21. (currently amended) A method to provision a plurality of servers, comprising:

  creating a connection between a server blade and a storage blade, <u>said server</u>

  <u>blade being implemented as a single board and</u> said storage blade having a plurality of operating system (OS) software;

sending a request to provision said server blade with one of said OS software; and receiving OS software in response to said request.

- 22. (original) The method of claim 21, wherein said request includes a server blade identifier and an OS identifier.
- 23. (original) The method of claim 21, wherein said server blade identifier is a dynamic host configuration protocol (DHCP) address.
- 24. (previously presented) The method of claim 21, further comprising: receiving said request at said storage blade; identifying an OS for said server blade using an OS identifier; and sending said OS to said server blade over said connection.

Appl. No. 10/086,410 Amendment Dated 6/18/2004 Reply to Office Action of 3/19/04

25. (original) The method of claim 21, further comprising: storing said OS software in memory; and executing said OS software.